

Blaze Products

G-B100, G-B400, G-B500, G-B600

BLAZE JELLED METHANOL CHAFING DISH FUEL FOR 8 OZ. AND
2 5/8 OZ.

BLAZE MSDS NUMBER: GB100
EFFECTIVE DATE: MAY 31, 2001
Blaze Products Corporation

P. O. Box 339
Shelbyville, Kentucky 40066-0339
Telephone: (502) 633-0650
Twenty Four (24) Hour Emergency Assistance:
CHEMTREC 1-800-424-9300 day or night.
Outside the continental United States, call CHEMTREC at
1-703-527-3887 (collect calls accepted).

Blaze Products Corporation urges the customer receiving
this Material Safety Data Sheet (MSDS) to study it
carefully to become aware of hazards, if any, of the
product involved. In the interest of safety, you should:
(1) notify your employees, agents, and contractors of the
information on this sheet, and (2) furnish a copy to each
of your customers to inform their employees and customers
as well.

SECTION I - PRODUCT INFORMATION

TRADE NAME: G-B100, G-B400, G-B500, G-B600
PACKAGES: 8 ounce cans (72, 48, 12 units/case), and 2 5/8
ounce cans (144 units/case)
SYNONYMS: Jelled Methanol (Consumer Commodity)
PRODUCT IS:

Mixture; CAS Number not applicable: X
Chemical Substance:
CHEMICAL FAMILY: Not applicable
GENERAL INFORMATION: A jelled alcohol fuel for warming
food. The fuel is methanol in a colloidal jell.

Section II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

COMPOSITION	CAS RN.	%	TLV (Units)
Methanol	67-56-1	74.8	200 ppm (skin)
Acetone	67-64-1	0.4	1000 ppm
Denatonium Benzoate	3734-33-6	Trace	-----

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

APPEARANCE AND ODOR: Blue jell with alcohol odor.
SPECIFIC GRAVITY: Not applicable
% VOLATILE BY VOLUME: 98%
SOLUBILITY IN WATER: Slightly soluble
pH: Not applicable

SECTION IV - FIRE & EXPLOSION HAZARDS

FLASH POINT: Tag Closed Cup 54 deg F (12.2 deg C)
IGNITION TEMPERATURE: 410 deg F
EXTINGUISHING MEDIA: Carbon dioxide, dry chemical, water
mist, or fog.
SPECIAL FIREFIGHTING PROCEDURES: Do not use high pressure
stream of water to extinguish burning material.
UNUSUAL FIRE & EXPLOSION HAZARD: Closed can exposed to
flame and heat may erupt scattering burning fragments.

SECTION V - REACTIVITY DATA

STABILITY:
Unstable:
Stable: X
CONDITIONS AND MATERIALS TO AVOID: Heat, open flame, strong
oxidizers.
HAZARDOUS DECOMPOSITION PRODUCTS: None known.
HAZARDOUS POLYMERIZATION:
May occur:
Will not occur: X

SECTION VI - HEALTH/HAZARD DATA

EYES: Can cause moderate irritation, redness, tearing.
SKIN: Prolonged or repeated contact can cause moderate
irritation, defatting, dermatitis.
BREATHING: Excessive inhalation of vapors can cause nasal
and respiratory irritation.
SWALLOWING: Can cause gastrointestinal irritation, nausea,
vomiting, diarrhea.

SECTION VII - EMERGENCY FIRST AID PROCEDURE

IF ON SKIN: Thoroughly wash exposed area with soap and
water. Remove contaminated clothing. Launder contaminated
clothing before re-use.
IF IN EYES: Flush with large amounts of water, lifting
upper and lower lids occasionally. GET MEDICAL ATTENTION.
IF SWALLOWED: If victim in conscious, give two glasses of
water, induce vomiting immediately by sticking finger
down throat. Call a physician. Never give anything by
mouth to an unconscious person.
IF INHALED: Move individual to fresh air.

SECTION VIII - OCCUPATIONAL EXPOSURE LIMITS

THRESHOLD LIMIT VALUE: Not established.

SECTION IX - EMPLOYEE PROTECTION

RESPIRATORY PROTECTION: Not required under normal
conditions of use.
VENTILATION: Not required under normal conditions of use.

SECTION X - ENVIRONMENTAL PROTECTION

ENVIRONMENTAL PRECAUTIONS: Keep away from fire and other
ignition sources. Avoid spills and leaking of this
material. Absorb spilled material using paper, floor
absorbents, or other absorbent material. Ventilate the
area.

SECTION XI - REGULATORY CONTROLS

DEPARTMENT OF TRANSPORTATION (DOT):
DOT CLASSIFICATION: ORM-D
DOT PROPER SHIPPING NAME: Consumer Commodity ORM-D
DOT EMERGENCY GUIDE NUMBER: Not applicable

SECTION XII - SARA TITLE III

Components present in this product at a level that could
require reporting under the statute (section 313) are:

Chemical	CAS Number	Concentration
Methanol	67-56-1	74.8%

The information contained herein is furnished without
warranty of any kind. Employers should use this information
only as a supplement to other information gathered by them
and must conduct testing and/or make independent
determinations of suitability and completeness of
information from all sources to assure proper use of these
materials and the safety and health of employees.

BLAZE PRODUCTS CORPORATION
Jelled Methanol 8 oz. and 2 5/8 oz.
05/31/01

Blaze Products

G-B100, G-B400, G-B500, G-B600

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES:
Although preparer and owner have taken reasonable
care in the preparation of this document, we
extend no warranties and make no representation
as to the accuracy or completeness of the information
contained herein, and assume no responsibility
regarding the suitability of this information for
the user's intended purposes or for the consequences
of its use. Each user should make a determination as
to the suitability of the information for their
particular purpose(s). This MSDS is the most recent
received from the product manufacturer or
distributor.

COMPAS Code: 47810080